

WHAT IS CLAIMED IS:

1. A navigation apparatus for displaying information required reaching a destination on a display screen to guide  
5 a vehicle to the destination, the navigation apparatus comprising:

a first display control unit for displaying at least a part of a route to the destination on the display screen and displaying each of main points on the route as a mark on the  
10 display screen; and

a second display control unit for determining whether or not a user selects one of the main points and displaying a real image showing surrounding of the selected main point on the display screen on the basis of position information of  
15 the selected main point and real image data corresponding to position coordinates, when the second display control unit determines that the user selects one of the main points.

2. A navigation apparatus for displaying information  
20 required reaching a destination on a display screen to guide a vehicle to the destination, the navigation apparatus comprising:

a third display control unit for determining whether or not a user gives a command to display a real image on the display  
25 screen, and displaying a real image showing surrounding of a

main point on a route to the destination on the display screen  
on the basis of real image data corresponding to the real image.

3. A navigation apparatus for displaying information  
5 required reaching a destination on a display screen to guide  
a vehicle to the destination, the navigation apparatus  
comprising:

a first selection unit for selecting a point, a real image  
of which is to be displayed on the display screen, from among  
10 main points on a route to the destination on the basis of movement  
state of the vehicle; and

a fourth display control unit for displaying a real image  
showing surrounding of the point selected by the second selection  
unit on the basis of real image data corresponding to the real  
15 image.

4. The navigation apparatus according to claim 3,  
wherein: the movement state of the vehicle is position  
information of the vehicle, position information of the main  
20 points, and positional relation between a position of the vehicle  
and that of each main point.

5. The navigation apparatus according to claim 4,  
25 wherein the first selection unit selects a point at which the

vehicle next arrives from among the main points as the point, a real image of which is to be displayed on the display screen, on the basis of the positional relation.

- 5           6.     The navigation apparatus according to claim 4, wherein the first selection unit selects a point which is closest to the vehicle from among the main points as the point, a real image of which is to be displayed on the display screen, on the basis of the positional relation.

10